PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:

A61K 7/09

(11) International Publication Number: WO 93/00882

(43) International Publication Date: 21 January 1993 (21.01.93)

(21) International Application Number:

PCT/US92/05691

(22) International Filing Date:

8 July 1992 (08.07.92)

(30) Priority data:

.

21

726,827

8 July 1991 (08.07.91) US

(71) Applicant: R.M. WALKER HEALTHCARE PRODUCTS, INC. [US/US]; 125 Royal Woods Court, Suite 165, Tucker, GA 30084 (US).

(72) Inventors: ANSCHEL, Nicola, R.; 4846 Terrace Green Trace, Stone Mountain, GA 30084 (US). WALKER, Ronald, M.; 3462 Hunters Pace Drive, Lithonia, GA 30038 (US). GAUDREAULT, Rosemary; 401 North Western Avenue, Parkridge, IL 60068 (US). NEACE-GUT-KNECHT, Laura; 2418 West 34th Place, Chicago, IL 60608 (US).

(74) Agent: COLTON, Laurence, P.; Hurt, Richardson, Garner, Todd & Cadenhead, Suite 1400, 999 Peachtree Street, N.E., Atlanta, GA 30309-3999 (US).

(81) Designated States: BB, CA, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LU, MC, NL, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG).

Published

With international search report.

(54) Title: NEUTRALIZING RINSE AND IMPROVED METHOD FOR CHEMICALLY RELAXING HAIR

(57) Abstract

A neutralizing rinse to minimize damage to hair and scalp, particularly that which occurs during the rinsing step, based on a mixture of an acid, hydroxyethylcellulose, a wetting agent, an opacifier, a color indicator, laureth 23 and a conditioner; a method for applying the neutralizing rinse based on the steps of preconditioning or pretreating the hair, applying a hair relaxer, rinsing the relaxer, applying the neutralizing rinse, combing or shaping the hair and then rinsing the neutralizing rinse from the hair; and a method for preparing the neutralizing rinse based on the steps of first mixing hydroxyethylcellulose with water, then adding acid, then adding laureth 23, then adding an opacifier, and then adding a conditioner. The method for quickly closing down the swollen hair shaft also provides for the hair bonding in a desired configuration and eliminates the less than straight or appearance of under processing, also called reversion.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ΑT	Austria	FI	Finland	ML	Mali
AU	Australia	FR	France	MN	Mongolia
BB	Barbados	GA	Gabon	MR	Mauritania
BE	Belgium	GB	United Kingdom	MW	Malawi
BF	Burkina haso	GN	Guinea	NL	Netherlands
BC	Bulgaria	GR	Greece	NO	Norway
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	1E	Ireland	RO	Romania
CA	Canada	iL	haly	RU	Russian Federation
CF	Central African Republic	JP	Japan	SD	Sudan
CG	•	KP	Democratic People's Republic	SE	Sweden
	Congo Switzerland	14.0	of Korea	SN	Senegal
CH		KR	Republic of Korea	รบ	Soviet Union
CI '	Côte d'Ivoice	LI	Liechtenstein	TD	Chad
CM	Cameroon			TG	Togo
CS	Czechoslovakia	l.k	Sri Lanka		
DE	Germany	LU	Luxembourg	us	United States of America
DK	Denmark	MC	Monaco		
E'A'	L avin	MC:	Madagoscar		

NEUTRALIZING RINSE AND IMPROVED METHOD FOR CHEMICALLY RELAXING HAIR

5 BACKGROUND OF THE INVENTION

1. Field of the Invention.

This invention and process are applicable generally to the cosmetic treatments of hair, and particularly to the area of swollen hair and damage associated with treatments 10 cosmetic effect that permanent semi-permanent change in hair structure or color, such as, for example, hair relaxing, hair straightening, curling, hair bleaching, hair coloring and other permanent chemical processes. Hair damage undesirable and 15 appearance in the form of swollen hair fibers may result from the problems associated with these chemicals effects and subsequent rinsing, and the present invention helps reduce or eliminate such damage and undesirable appearance.

20 2. Prior Art.

Typically, chemical processes designed to alter permanently the structure or color of hair often result in hair fiber damage, and/or loss in hair manageability, luster, and/or strength. Several prior art inventions incorporate conditioning agents to address the damaging effects before, during and after the chemical process, and several others incorporate conditioners that are stable in the process chemicals and do not seriously interfere with the objective of the chemical process.

United States Patent No. 3,981,312 discloses the use of a prebonder using a polyvalent metal salt and a water soluble reactive polyamide-epichlorohydrin resin. The hair is first reduced, then rinsed and treated with the '312 invention prior to oxidation. The results shown in 35 the '312 example show that the hair had an improved

elasticity and elongation; however, the mechanism was not elucidated. Additionally, the rinsing effects were not disclosed, nor the length of time required to rinse the reducing agent from the hair. There may be significant differences in the effectiveness of this prebonding method if rinsing times differ from application to application. The ideal pH range for the formation is mentioned, but not described as being significant in connection with the conditioning of the hair. Further, the invention must be accompanied by the resin to be effective.

United States Patent No. 4,770,873 discloses amino-functional silicone conditioner employed within a The oxidizing agent. neutralizer containing an composition is suitable for use after the hair has been 15 treated with a product that reduces the disulfide bond in the hair. Primarily, the '873 invention conditions and oxidizes the disulfide bonds in the hair. The bonds may be cleaved by the typical mercaptans as thioglycolic acid, and by alkali relaxers. The pH considered critical to this 20 composition for optimum results is in the range of 2 to 5, and preferably 2.5 to 4.5. Optional to this invention is the use of a buffered composition. For instance, citric acid/citrate can be used as a buffer with phosphoric . The actual pH of the 1873 composition must be at a acid. 25 level so as to not disrupt or break the silicone The acidic function is to prevent emulsion. degradation of the oxidizer, hydrogen peroxide. The primary thrust of the invention is to reduce damage effects. The examples show the results of the product in 30 terms of combability and water absorption; the better combability most likely being the result of a surface phenomenon as well as the decrease in drying time. amino-functional silicone is highly attracted to cuticle. A disadvantage inherent in the 1873 invention is 35 that the problem of hair fiber damage at microscopic

WO 93/00882 PCT/US92/05691

levels may still exist. Additionally, no mention is made of the prevention or lessening of damage during the rinsing processes after treatment with a reducing agent or alkali relaxers.

- United States Patent No. 4,795,629 discloses a crosslinking agent in a buffered solution with a pH of 7.4, an optimum condition for the crosslinker to work. Cystamine provides the same degree of strong curl pattern as a conventional neutralizer such as hydrogen peroxide.
- 10 No disclosure is made as to possible advantages it may have in improving the hair condition, or preventing damage to the hair that could be caused during rinsing.

United States Patent 4,602,648 discloses No. preshampoo normalizer. This composition is used after an 15 alkaline relaxer or hair straightener is applied to the hair to achieve a level of straightness, and rinsed to remove a substantial portion of the relaxer from the hair prior to shampooing. The composition is massaged into the hair and allowed to remain on the hair an indefinite 20 period of time, left to the judgement of the beautician who has evaluated the porosity, elasticity, texture and density of hair. The disadvantages of this method include the lack of specific times for rinsing after relaxing. Additionally, it is not disclosed as to how the hair 25 swelling influences the intrinsic hair fiber and cuticle interactions. The swollen state of the hair is addressed as a facilitation of the uptake of the protein. implies an after-the-fact conditioning technique. 1648 patent teaches the necessity for using a shampoo to 30 remove excess material from the hair and does not address the implications in depth as to the damage seemingly resulting from the shampooing. Therefore the hair is unable to take the preshampoo normalizer to the extent of preventing additional damage that is caused by the shampoo

35 or shampooing process. Further, another disadvantage is

that the hair is manipulated during the application of the pre-shampoo normalizer which may result in the formation of bonds as lathionine in a less than straight configuration. Finally, no mention is made as to how to eliminate waviness often seen after the relaxing process. This waviness is often referred to as reversion or under processing.

United States Patents Nos. 4,719,099 to Grollier and 4,592,908 to Wajaroff dislcose and claim a conditioner and 10 a protective cream to prevent burning of the scalp, respectively. In effect, the products cited in the prior art are formulated to be used with an alkaline hair relaxer in order to prevent the burning of the scalp or to repair damage to the hair caused by the relaxation and are not, as in the present invention, 15 process, formulated to neutralize the alkaline hair relaxer on the hair, to bring the hair to a pH of below 7, preferably below 5, and ideally between 2 and 3, such that bonds reformed hydrolyzed during the relaxing process are styled configuration, while the 20 permanently into simultaneously preventing damage to the hair caused by the relaxation process. The products disclosed and claimed in the prior art are not formulated to allow this to happen, and result in staightened hair, which then is styled in conventional Prior 25 the manner. formulated to be used after the straightening process is complete; the present invention is formulated to be used during the straightening process, filling a long felt, but as yet unfilled need in the hair-care industry. 30 present invention is a rinse for neutralizing an alkaline hair relaxer, for bringing the hair to a pH in the acid range thus allowing the bonds to reform permanently, resulting in a permanent hair style.

The <u>Grollier</u> patent discloses a conditioner for the 35 treatment of dry hair, and other keratin materials, and

WO 93/00882 PCT/US92/05691

contains at least one anionic polymer and at least one cationic polymer. This general anionic-cationic polymer combination is comprised in the entire series of keratin-treating materials disclosed in <u>Grollier</u>. These compositions allow for the conditioning and repair of damaged hair, thus allowing better styling. However, when applied to hair, the <u>Grollier</u> patent is a two-stage, two-composition process, as disclosed in column 56, lines 64-66.

- As discussed throughout the <u>Grollier</u> specification, the <u>Grollier</u> composition is formulated to attach anionic and cationic polymer to the hair, apparently at the same time. The <u>Grollier</u> composition consists essentially of an anionic polymer, a cationic polymer and a solvent medium.
- 15 On the contrary, the composition of the present invention is not meant to condition the hair per se, but is meant to neutralize an alkaline hair relaxer, to bring the pH of the hair to the acidic range allowing the bonds in the hair to reform, and to minimize damage occurring to the
- 20 hair from rinsing. Thus, the present invention also acts as a damage-preventing composition rather than a damage-repair composition.

The <u>Wajaroff</u> composition is a protective cream to prevent an alkaline chemical from burning the scalp during, for example, a hair relaxation process, and contains a pH indicator for indicating whether enough of the protecting composition has been applied to the scalp to prevent the alkaline chemical hair relaxer from burning the scalp. The pH indicator contained in the <u>Wajaroff</u> 30 composition is to protect the scalp.

The most likely cause of the waviness or reversion is the return of the hair to a lower pH and deswelling during or after the time the hair is manipulated into a straight configuration. The salt bonds within the hair in 35 particular are reforming rapidly as the pH descends from an alkaline state to neutral or below near the isoelectric point of hair. The sulfur containing amino acids are still very active before neutralization takes place. As new bonds are forming, the alignment of the bonds will

5 occur in the position of the hair at that moment. for the relaxer blamed the Conventional wisdom the straightening The process. of inefficiency conventional relaxer systems employ as the neutralizer a shampoo. The relaxer is rinsed from the hair for an 10 extended period of time, perhaps up to 5 or more minutes, to remove completely the excess relaxer and the slippery feel of alkaline hair. In the salon trade, the rinsing step is considered key in producing optimum results. Many attribute neutralization properties to the water during 15 the rinsing process. In the case of scalp sensation, water helps stop the itching, or tingling or burning sensation. However, the water is diluting the alkali and not actually providing significant reduction in pH to neutral. Water does, however, cause more swelling to the 20 hair and very likely to the scalp as well. United States Patent No. 4,313,933 emphasizes the pH interactions and their effect on hair and scalp.

When the hair is treated with reducing and relaxing agents, an increased amount of salt is produced from the 25 amino acids. Due to osmotic pressure, the hair shaft swells additionally, because the water seeps into the hair shaft. Water outside the hair shaft is more concentrated and the hair shaft contains a high level of salts (Shansky, A., 14 J. Soc. Cosmet. Chem. 427 (1963)). after with rinsing treatment 30 swelling during а thioglycolate and sodium hydroxide could be prevented using a salt solution according to J. Nothan, V. Bollert, G. Blankenburg, and H. Hockers, 1 Proceedings of the 16th IFSCC Congress 315 (Sočiety of Cosmetic Chemists 1990).

WO 93/00882 PCT/US92/05691

Robert Y. Lochhead, Ph.D., of the University of Mississippi, Department of Polymer Southern Science, studied hair that was treated with sodium hydroxide and rinsed, using a special scanning electron microscope that 5 could observe real time specimens in aqueous media. hair cuticle in many cases split longitudinally as the hair became engorged with water. This implies that the cuticle is not pliable or elastic when swollen by this action. The longer the rinsing is allowed to continue, 10 the greater the destruction of the cuticle, resulting in more damaged fibers. In less damaged hair fibers, significant cuticle lifting is noted. The hair becomes a polyelectrolyte. Therefore, the hair is not in a final state during rinsing. The water does dilute the alkali.

15 The prior art hair straightening processes teach away from the results obtained by the present invention. Recent research by Dr. Robert Y. Lochhead indicated that cuticle splits during rinsing (prior the hair discusses rinsing for 5 minutes or more) after sodium 20 hydroxide relation because of swelling caused by water entering the hair. However, use of the present invention helps minimize or alleviate this swelling, resulting in less-swollen, less-damaged hair, which can be styled in a permanent fashion. On the contrary, the present invention 25 helps minimize such swelling because only minimal rinsing (less than 5 minutes) of the hair relaxer from the hair is necessary when the present invention is used.

In the salon, during the shampooing process that immediately follows the rinsing of the relaxer, if the 30 shampoo is acidic, a sulfury odor is produced. This is sensory evidence of the mechanism of alkali cleavage of the cystine bonds and subsequent formation of a monosulfur amino acid, lanthionine. C. R. Robbins, Chemical and Physical Behavior of Human Hair, chapter 3.

35 Simultaneously, the cystine level of the hair is lowered.

A sulfur atom is released to the atmosphere upon completion of this reaction. This is evidence that the bonds are still forming during the neutralization process.

The neutralizing process normally is carried out with 5 a shampoo having a pH between about 5.5 and 7. During the shampooing step, or as in the case of the preshampoo normalizer of U.S. Patent No. 4,602,648, hair is manipulated. Since bonds are still reforming at this stage, hair is positioned in a less than straight or wavy 10 pattern as the crosslinking and restructuring of peptide and salt bonds are occurring. This may result in a permanent setting of hair in this type of pattern, that could be interpreted as reversion or under processing, and is attributed to the relaxer not being efficient.

During the prior art hair straightening (or waving or curling) processes, an alkaline hair relaxer is placed in the hair. The alkaline hair relaxer cleaves or hydrolyses bonds in the hair such that the hair will lie straight. In the prior art processes and using prior art products, 20 the hair then is shampooed to remove the hair relaxer, and the hair is styled to the desired configuration. Like most stylings, hair styled after the hair relaxer and shampoo treatment does not result in a permanent style.

Prior art neutralizing shampoos are used to remove 25 excess alkali residue left on the hair from the hair The neutralizing shampoos are applied to the relaxer. hair after the alkali hair relaxer is rinsed from the hair. On the contrary, the neutralizing rinse claimed in the present invention is applied directly to the hair 30 after minimal rinsing of the alkaline hair relaxer from the hair. Salon tests show that permanent reconfiguration of the hair occurs at a pH of 7 or less, and most efficiently below a pH of about 5. The acidic conditioners available are not strong enough to produce a 35 permanent wave without reversion, due to their

WO 93/00882 PCT/US92/05691

formulation. The present invention consistently allows a permanent wave to be placed in the hair.

United States Patent No. 4,361,157 describes a method of curling hair without rollers. Strong alkaline 5 solutions are allowed to remain in contact with the hair for 10 to 15 minutes, a time period that is less than the time required to effect a complete straightening or high enough cystine bond breakage to effect a completely straight pattern. Enough of the natural curl is left to 10 add body and curl or wave. The hair is then shampooed and rinsed. The shampoo contains chemicals for neutralizing the hair straightener. A hair softener is applied for softer waves and a rinse set for more defined waves; permanent waves are formed without the use of rollers. 15 Interestingly, important to this method is wetting the hair prior to the application of the relaxer. disclosed that only 70% to 90% of the time of exposure to straightening chemicals is the hair required for complete straightening process. The hair is washed with a 20 neutralizing shampoo and rinsed. A diluted rinse set composition then is applied to the partially straightened hair, presumably a setting lotion preparation employing resins and or polymers. The prewetting of the hair prior to the application of a relaxer can cause the emulsion to 25 break down faster and release the alkali too soon. This can cause loss of control of the straightening process, scalp irritation, and more bonds than desired to be It is not clear why the prewetting is desirable broken. in this process, nor whether the hair is rinsed prior to 30 washing with the shampoo. If the shampoo is added directly to the relaxer, the shampoo may not be sufficient bring enough to the pН down low efficient for neutralization. It is not mentioned how many times the shampooing must be done. The hair must be manipulated

during the shampooing process, thus exposing hair to any type of curl or wave pattern, thus losing control.

There is an alternative to the aforementioned patents in terms of minimizing hair damage and providing curl or 5 wave patterns without the use of rollers. That is the subject of the present invention.

BRIEF SUMMARY OF THE INVENTION

Briefly stated, this invention is a neutralizing hydroxyalkylcellulose a acid, comprising an 10 rinse hydroxyethylcellulose and/or thickener such as color agent, a wetting hydroxymethylcellulose, a indicator, an optional opacifier, laureth 23, an optional conditioner, and an optional fragrance. The product aids 15 in the chemical relaxation of hair so as to allow hair to be straightened, curled or waved, and helps reduce the swelling and subsequent damage to the hair and scalp caused by the rinsing products and process. Additionally, the invention includes the novel method of applying the 20 product during the straightening process, comprising the steps of first pre-treating or protecing the hair and then applying the relaxer, then applying the product as the neutralizing rinse. A moisturizing conditioner then can be applied to the hair.

It is accordingly an object of the present invention to provide a product that is formulated so as to achieve the function of neutralizing alkaline residue and causing permanent formation of new bonds in the hair shaft in the desired wave or hair configuration.

It is another object to provide a product which facilitates the forming of the bonds quickly to reduce damage to the hair by swelling.

It is yet another object to provide a product and method which minimizes hair fiber swelling by specifying 35 the length of time of rinsing the relaxer.

WO 93/00882 PCT/US92/05691 - 11 -

It is still another object to provide a method having a limited rinsing time to avoid excessive swelling of hair and scalp, therefore eliminating excessive damage.

Another object is to provide a product which assists 5 deswelling the hair shaft caused by the alkali and rinsing.

Yet another object is to provide a product which, due to its low pH, can neutralize the alkali in the relaxer on the scalp when the scalp is experiencing irritation from the alkali, thus ceasing the sensation.

Still another object of this invention and process is to allow more processing time if needed for the hair to be processed to a straighter configuration if applied to the scalp where sensation is noted.

It is a further object to provide a product and 15 method which, by applying the product directly to the scalp where sensation such as itching and possibly tingling occurs, can prevent serious scalp burns from forming.

It is an additional object of this invention to 20 facilitate the permanent new bond formation in the desired wave pattern with the use of a preconditioner treatment applied to the hair prior to the relaxer which aids in combability to accomplish the wave shaping process.

It is one more object of the present invention to 25 facilitate the permanent new bond formation in the desired wave pattern by the incorporation of at least one conditioning agent to aid in combability and to facilitate the combing and wave shaping process.

A further object is to provide a method in which a 30 shampoo is not needed to remove the rinse or the relaxer from the hair, thus further minimizing cuticle lifting and stress.

An additional object of this invention is to provide a product and method which incorporate conditioners that 35 aid in strengthening the hair.

One more object of this invention is to provide a product and method in which the previously processed hair not the object of straightening at the time of relaxing is protected by the conditioners employed either in the 5 pretreatment or the neutralizer.

These objects, and other objects, features and advantages of the present invention, will become apparent to one skilled in the art when the following detailed description is read in conjunction with the included 10 examples.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

method relates The present invention and compositions and methods for relaxing and straightening hair, particularly addressing the 15 human straightening during the neutralization process. The product is applied directly to the hair after some or most of the reducing agent is rinsed from the hair with the time of rinsing specified to less than 5 minutes, with the 20 optimum time of 1/2 to 2 minutes for short hair, 2-3 minutes for medium length hair, and up to 4 minutes for This invention and process can be used in long hair. conjunction with any alkaline reducing agents used in the straightening and permanent wave processes. It can be 25 used with chemicals in the category of sodium hydroxide, guanidine hydroxide, potassium hydroxide, hydroxide, calcium hydroxide, amino hydroxide, ammoniated amino hydroxide, enzyme relaxers and the like. chemical agents used in permanently altering the structure 30 of the hair and the subsequent damage incurred using these agents and by extensive rinsing and manipulation of the hair during the shampooing further damages the hair and reduces the effectiveness of the smoothing and shaping technique while the relaxer or straightener is on the hair.

1. PRODUCT

The present invention helps reduce stress to the hair. The invention is a low pH formula that may contain one or more acids, such as citric acid, maleic acid, boric acid, lactic acid, phosphoric acid, and the like. In the present invention, citric acid is the preferred acid and used in a range of 0.1% by weight to 5.0% by weight, with a preferred range of 1.0% to 4.0% by weight. The product may be formulated as a liquid, gel, suspension, colloid, paste, cream or lotion. In this invention, the preferred embodiment formula is a liquid thickened to prevent dripping while styling the hair in the desired pattern. The invention is thickened to a preferred range of 1,000 to 3,000 cps, Brookfield, with hydroxyethylcellulose at a range of 0.1% to 5.0% by weight, with a preferred range being enough to effect the above viscosity.

The product further comprises a wetting agent to facilitate penetration of the product into the hair shaft. Suitable wetting agents include polysorbates and 20 other mild nonionic surfactants, with a range of 0.1% to 10.0% by weight. The optimum range is 1.0% to 5.0%. An opacifier also may be used for aesthetic purposes; that is, to please the eye, it having a primary purpose of enhancing the visual detection of the color indicator on 25 an alkaline medium. Opacifiers of any kind may be used, with the caution that too waxy an opacifier, a feature common to glyceryl stearate and emulsifying wax, especially if employed at higher concentrations, prevent penetration of the invention formula into the hair 30 shaft. In the present invention, the preferred opacifier used is styrene acrylate copolymer in a range up to 8.0% by weight, with a preferred range of 0.3% to 2.0%.

The invention further comprises phenolphthalein as the color indicator to observe the presence of alkali.

35 The range of phenothalein is 0.001% to 1.0% by weight.

- 14 -

The preferred phenolphthalein is 100% active and solubilized with laureth 23 an emulsifier which is the polyethylene glycol ether of lauryl alcohol (q.v.) that conforms to the formula:

5 $CH_3(CH_2)_{30}CH_2(OCH_2CH_2)_nOH--.$

20

Laureth 23 is incorporated in a range of 0.1% to 8% by weight, with a preferred range of 0.4% to 2.0%.

This invention further comprises a conditioner that aids in combability, particularly during the neutralizing 10 process. The preferred conditioner used in this invention is polyquaternium 32, a highly cationic modified polyacrylamide dispersed in mineral oil. It is provided in the range up to 9.0% by weight with a preferred range of 1.0% to 3.0%. The conditioner does not interfere with 15 the penetration of the formula in the preferred range. Fragrance also may be incorporated at a range of 0.0% to 1.0% by weight.

TABLE I
Product Composition

	Component	Dance (set %)	Droformed Dangs (set %)
	Component	Range (wt. %)	Preferred Range (wt.%)
	Acid	0.1-5.0	1.0-4.0
	Hydoxyethyl-		
	cellulose	0.1-5.0	•
25	Wetting Agent	0.1-10.0	1.0-5.0
	Opacifier	up to 8.0	0.3-2.0
	Phenol-		
	phthalein	0.001-1.0	
	Laureth 23	0.1-8.0	0.4-2.0
30	Conditioner	up to 9.0	1.0-3.0
	Fragrance	up to 1.0	
	Water	balance	
	Methyl-	up to 1.0	0.25
	cellulose		

WO 93/00882 PCT/US92/05691 - 15 -

This invention is made the adding by hydroxyethylcellulose to water with rapid agitation to prevent clumping and to facilitate complete hydration of the polymer. The citric acid is added using moderate 5 speed agitation when the hydration is completed. the batch is clear and uniform, the pre-solubilized phenothalein in laureth 23 is added and mixed well. opacifier is added to the batch with moderate agitation. The conditioner then is added. No heat is necessary to 10 make this formula. Fragrance is optional.

If the conditioner is not used (0.0%) in this invention, a preconditioner which employs this conditioner should be used to assist in detangling and combability, a key to the function of this invention. The preconditioner comprises from 0.1% to 10.0% by weight crotein WKP, kerasol, with a preferred range of from 1.0% to 5.0%; from 1.0% to 7.0% by weight hydrolized wheat protein, with a preferred range of 1.0% to 3.0%; and 1.0% to 5.0% by weight amino acid Salts, with a preferred range of 2.0% to 4.0%.

The preferred conditioner applied as a pretreatment comprises from 0.1% to 9.0% by weight polyquaternium 32, with preferred range of 1.0% to 3.0%. The preconditioner also comprises a new product hydrolyzed 25 wheat protein containing oligosaccharides in which the daltons are high, to help keep the hair from breaking. The preconditioner also comprises emulsifiers surfactants, fragrance and preservatives that are a necessary vehicle for the conditioners to be delivered. 30 The emulsifier preferrably is supplied at a range of 0.2% to 5.0% by weight. Suitable emulsifiers include waxy ester or wax or a fatty alcohol. The surfactants and solubilizers may be polysorbates or other mild nonionic surfactants. Fragrance and preservatives are recommended 35 in a range of 0.01% to 1.0% by weight, whatever the

10

manufacturer recormnends and is effective for their purposes.

II

1.0-3.0

TABLE

Preconditioner Composition 5 Range (wt. %) Preferred Range (wt. Component Crotein WKP, kerasol 1.0-5.0 0.1 - 10.0Hydrolized Wheat Protein 1.0-7.0 10 1.0 - 3.0Amino Acid Salts 2.0 - 4.01.0-5.-

0.1 - 9.0

0.2 - 5.0

15 Fragrance and

Emulsifier

Conditioner

Preservative 0.01-1.0 Water balance

The use of the preconditioner is necessary when the 20 neutralizing rinse does not contain the cationic conditioner that aids in the combability need for hair during the neutralizing stage. shaping For severely damaged hair ends, particularly in the case of bleached and colored hair, the pretreatment is important to protect 25 the hair from the incidental contact with the relaxer directly and during the rinsing procedure. It also is highly effective in protecting the hair ends from acidic contact during the neutralizing process. Acidic products tend to cause slight swelling in normal virgin hair, and 30 more exaggerated swelling in bleached hair in the pH range This is cited in G. Ramachandra Bhat, of 2 to 3.0. Rogerio M. Parreira, Elvin Lukenbach, Donald L. Harper and Helio C. Parreira, Acid-Base Characteristics of Human Hair: Absorption of HCl and NAOH, and the Effects on 35 Physical Properties, 32:7 J. Soc. of Cosm. Chem. (1981),

WO 93/00882 PCT/US92/05691

incorporated herein and made a part hereof by this reference.

The preconditioner is made in a similar manner to the neutralizing rinse, and comprises generally the same 5 components. The emulsifying agents must be melted and added to the batch.

2. PROCESS

The process for effective neutralization comprises 10 the following steps: If using the neutralizing rinse without the conditioner incorporated, or if the hair that has been previously processed is very damaged, overly porous, bleached or colored, the preconditioner is applied to the hair, and dried in with a cool dryer. The alkaline 15 relaxer is applied in the conventional manner, and the hair is processed to the desired straightness. The bulk of the relaxer is then rinsed, for the specified time range of about 1/2 to 2 minutes for short hair, about 2 to 3 minutes for medium length hair, and about 3 to 4 minutes 20 for long hair, to achieve the object of removing the relaxer iii order for the neutralizing rinse to penetrate to the hair.

The neutralizing rinse is applied to the saturating first freshly the relaxed hair, and 25 subsequently pulling out to the ends and reapplying the neutralizing rinse, if necessary, to fully wet the hair and to areas showing pink color, indicating alkaline The hair is combed gently into the desired conditions. wave pattern or hair configuration. The hair may be 30 combed straight, directed forward, backward, side to side, down, or round, as in the style termed "The Wrap", or placed on perm rods. The neutralizing rinse is allowed to sit on the hair for about 3 minutes. During this time the bonds are forming in the desired configuration. 35 bonds form as soon as the neutralizing rinse contacts the

hair as evidenced by the sulfury odor. Experiments show that enough bonds are still active during the combing such that the hair is permanently structured in the arrangement combed in at the time of neutralization. The amount of neutralizing rinse applied varies with the length of the hair also. The recommended amounts of neutralizing rinse to be applied are as follows: about 1 fluid oz. to 2 fluid oz. for short hair, about 2 fluid oz. to 3 fluid oz for medium length hair, and about 3 to 6 fluid oz. for 10 long hair.

EXAMPLE 1

In the salon testing program the entire relaxer system was used. Nine people experienced some level of 15 scalp sensation, for example, itching, tingling, and in a case, burning, while having the relaxer applied during the smoothing process. The neutralizing rinse was applied directly to the sensation area on the The scalp. sensation stopped immediately. In the one case of 20 burning, the sensation decreased in strength from a burning sensation to an itching to tingling sensation. irritation from the relaxer is very common, particularly if the scalp has been rubbed or scratched close to the time of relaxing. The patrons in the salon 25 must inform the hairdresser at the first sign of itching. If the neutralizer is applied directly to the itching spot, the sensation will end, and the alkali from the relaxer neutralized. The best way to apply the neutralizing rinse to insure precision is via a small 30 orifice in a pointed cap on a low density plastic bottle, as in the hair color applicator bottles commonly used in the salons.

WO 93/00882 PCT/US92/05691
- 19 -

EXAMPLE 2

In the salon, eight people were successfully given a permanent wave pattern in the direction of the desired Shorter hair yielded a wave pattern that normally style. 5 would have to have been mechanically produced with styling One patron shampooed 3 times in 4 days and the aids. desired wave pattern that was placed in at the time of neutralization was still present. The wave pattern in one model was so strong in direction that it had to be 10 mechanically set to get another pattern. The set was effective. The wave that set in was during the neutralization gave excellent appearance and body. One model was particularly happy with the feel of her scalp after the process.

15

EXAMPLE 3

The is formulation very important to the effectiveness of the setting of the hair and the comfort to the patron. One model who experienced burning on the 20 scalp during the relaxer process was subsequently treated with the neutralizing rinse using phenolphthalein solubilized in alcohol, which stopped the intensity of the sensation. However during the application of the neutralizing rinse, in the same area a stinging sensation The alcohol in which the phenolphthalein was 25 occurred. solubilized caused the unpleasant sensation. Therefore, laureth 23 was used in place of alcohol to solubilize the phenolphthalein to avoid this problem.

The use of conditioner, namely that of polyquaternium 30 23, is a preferred option in the process. When no preconditioner was used, and the neutralizer did not contain the conditioner, on a person with a hair tint in her hair, the hair ends became soft and sticky. In other tests, the models' hair could not be combed during the 35 neutralizing step, because the hair was tangled. In

another test where the model had color in the previously relaxed hair, breakage occurred at the point where the freshly relaxed hair met the previously colored and relaxed hair. When either the preconditioner is used with the rinse that did not contain the conditioner, the combing was easy and the hair bonded in the desired pattern.

EXAMPLE STEPS

The preferred method is as follows:

- 1. Perform a preliminary strand test according to the following instructions for the relaxer. Also a patch test is recommended for the invention.
- 2. Apply a pretreatment to the perimeter hairline area, and the entire scalp. Apply to previously 15 chemically treated hair making sure to get an even distribution. Do not rub scalp. Gently comb through.
- 3. Section the hair into 4 parts. Make narrow partings. Apply relaxer to the hair as close to base as possible without getting on the scalp (about 1/4"). Start 20 at nape, work up to front, then sides; hairline last. Do not apply to scalp.
- 4. After applying evenly to the new growth or all over virgin hair, smooth the hair until the desired relaxation has occurred. Use the recommended process 25 times.

Process times (from time of application to rinse out):

	Mild (for fine, porous or color	13 minutes
	treated hair)	
30	Regular (for medium texture and	15 minutes
	medium porosity)	
	Super (for coarse texture and	18 minutes
	low porosity)	

5. During the relaxer service, to stop chemical reaction and stop any scalp sensation, apply the Invention directly to the sensitive area after gently removing excess relaxer. Reapply if necessary. Continue with the service.

- 6. When desired straightness is achieved, rinse hair until relaxer is just rinsed out, approximately 2-1/2 to 3 minutes. Do not prolong rinsing time. Water is not a neutralizer. Then generously apply the Invention.
- 7. Do not massage into hair. Comb through. Form hair into the desired wave pattern. Observe the pink 10 color to monitor the process of neutralizing. After initial application, reapply in pink areas until clear. After setting in the desired wave pattern and no pink color is present, time for 10-15 minutes under a dryer with a cap or at room temperature with a cap for 20 15 minutes.
 - 8. Rinse thoroughly from hair.
 - 9. If desired for patron service, shampoo hair once. Rinse out shampoo thoroughly.
 - 10. Towel blot hair.
- 20 ll. Apply a conditioner generously all over hair. Leave in until the desired level of conditioning is achieved.
 - 12. Rinse out the conditioner thoroughly.
- 13. Apply a styling lotion evenly over hair. Roller 25 set or blow dry the hair, style and dry under a dryer.
 - 14. Apply a small amount of a condition and scalp normalizer to scalp and hair before final comb out.
 - 15. Apply a very small amount of a shine enhancer and sealant to add a brilliant shine to the hair.
- 30 l6. Spray a holding spray lightly to finish style.

REBOUNDER TREATMENT

Typically two weeks after the relaxer is given (or one week if ends are particularly dry), it is advantageous to give a second treatment to permanently strengthen the 35 hair. The Invention deswells the hair, softens and

temporarily straightens the new growth. It also may be used to give a temporary to semi permanent set to the hair. It also is excellent for general reconstructive conditioning for dry embrittled hair, color treated and 5 permanently waved hair. The second treatment is as follows:

- 1. Shampoo hair once.
- 2. Generously apply the Invention. Comb through and style if desired to give a semi permanent set, or comb 10 through for conditioning only. Allow to sit under a cap in the dryer for 10 minutes or at room temperature under a cap for 15 - 20 minutes.
 - 3. Rinse thoroughly. Shampoo hair again.
- 4. Finish the conditioning with a conditioner for 5 15 minutes or until the desired conditioning and moisturizing level is achieved. Rinse thoroughly.
 - 5. Apply a styling lotion or a forming gel to style as desired.
- 6. Apply a hair conditioning and scalp normalizer 20 to the scalp and hair.
 - 7. To add extra shine and seal the hair, use a small amount of a shine enhancer and sealant.
 - 8. To finish the style spray a holding spray.

To maintain the style after the hair has been treated 25 with the invention, repeat steps 1 and 4-7 as necessary.

The above detailed description and examples are provided for illustrative purposes of the best mode for the invention known by the inventors at this time, and are not intended to limit the scope of the invention and its 30 equivalents, as defined in the appended claims.

What is claimed is:

- 1. A neutralizing rinse for use in neutralizing an alkaline chemical relaxer in a process for the chemical relaxation of hair, comprising:
- a. an acid selected from the group consisting of citric acid, maleic acid, boric acid, lactic acid, and phosphoric acid, said acid being present in a range of from about 0.1% to 5.0% by weight;
- b. a thickener selected from the group consisting 10 of hydroxyalkylcelluloses, said thickener being present in a range of from about 0.1% to 5.0% by weight;
- c. a wetting agent selected from the group consisting of non-ionic surfactants, said wetting agent being present in a range of from about 0.1% to 10% by 15 weight;
 - d. a pH indicator, said pH indicator being present in a range of from about 0.001% to 1.0% by weight; and
- e. laureth 23 as an emulsifier, said emulsifier being present in a range of from about 0.1% to 8.0% by 20 weight; wherein, said rinse having a pH of below 7.0, said acid being present in a quantity sufficient to bring the pH of the hair below 7.0 for reforming bonds in the hair, and said pH indicator being present in a quantity sufficient for allowing indication of the presence of the 25 alkaline chemical relaxer on the hair.
 - 2. The neutralizing rinse as claimed in Claim 1, wherein said acid is selected from the group consisting of citric acid, maleic acid, boric acid, lactic acid, and phosphoric acid.
- 3. The neutralizing rinse as claimed in Claim 2, wherein said acid is present in a range of from about 0.1% by weight to 5.0% by weight.

- 4. The neutralizing rinse as claimed in Claim 1, wherein said hydroxyethylcellulose is present in a range of from about 0.1% to 5.0% by weight.
- 5. The neutralizing rinse as claimed in Claim 1, 5 wherein said thickener is present in a range such that the viscosity of the rinse is in the range of from about 1,000 cps to about 3,000 cps.
 - 6. The neutralizing rinse as claimed in Claim 1, wherein said wetting agent is polysorbate.
- 7. The neutralizing agent as claimed in Claim 6, wherein said wetting agent is present in the range of from about 0.1% to 10% by weight.
- 8. The neutralizing rinse as claimed in Claim 1, further comprising an opacifier, said opacifier being 15 present in a range up to about 8.0% by weight.
 - 9. The neutralizing rinse as claimed in Claim 8, wherein said opacifier is styrene acrylate copolymer.
- 10. The neutralizing agent as claimed in Claim 8, wherein said opacifier is present in a range up to about 20 8.0% by weight.
 - 11. The neutralizing rinse as claimed in Claim 1, wherein said pH indicator is phenolphthalein.
- 12. The neutralizing rinse as claimed in Claim 11, wherein said color indicator is present in the range of 25 from about 0.001% to 1.0% by weight.
 - 13. The neutralizing rinse as claimed in Claim 1, wherein said laureth 23 is present in the range of from about 0.1% to 8.0% by weight.
- 14. The neutralizing rinse as claimed in Claim 1, 30 further comprising polyquaternium 32 as a conditioner, said conditioner being present in the range of up to about 9.0% by weight.

WO 93/00882 PCT/US92/05691 - 25 -

- 15. The neutralizing rinse as claimed in Claim 14, wherein said conditioner is polyquaternium 32, a highly cationic modified polyacrylamide dispersed in mineral oil.
- 16. The neutralizing rinse as claimed in Claim 15, 5 wherein said conditioner is present in the range of 0.0% to about 9.0% by weight.
 - 17. A method of straightening hair, comprising the steps of:
- a. applying a preconditioner or pretreatment to the 10 hair;
 - b. applying a relaxer formulated to bring about cleavage of the disulfide bonds to create the typical amino acid, lanthionine, to the hair;
 - c. rinsing the relaxer for a specified time;
- d. applying a neutralizing rinse;

4

- e. styling the hair into the desired wave pattern or hair configuration;
- f. allowing the hair to sit for at least about 3 minutes;
- g. rinsing the neutralizer from the hair; and
 - h. applying a conditioner to the hair.
- 18. The method as claimed in Claim 17, wherein said specified time is from one-half to 2 minutes for short hair, from 2 to 3 minutes for medium length, and from 3 to 25 4 minutes for long hair.
- 19. The method as claimed in Claim 17, wherein said neutralizing rinse is applied by thoroughly saturating first the freshly relaxed hair then combing through to the ends adding more if necessary to keep soft and easy to 30 comb.

. . . .

- 20. A method for producing the neutralizing rinse as
- claimed in Claim 1, comprising the steps of:

 a. incorporating hydroxyethylcellulose to water;
- b. rapidly agitating the hydroxyethylcellulose and
 5 the water to facilitate complete hydration of the polymer
 to form a mixture;
 - c. adding the acid to the mixture using moderate agitation;
 - d. solubilizing laureth 23 in phenolthaline;
- e. adding the pre-solubilized phenothalein in the laureth 23 to the mixture;
 - f. adding the opacifier using moderate agitation; and
 - g. adding the conditioner to the mixture.
- 15 21. The neutralizing rinse as claimed in Claim 1 having a pH of below about 5.5.
 - 22. The neutralizing rinse as claimed in Claim 21 having a pH of between about 2.0 and about 3.0.
- 23. The neutralizing rinse as claimed in Claim 22, 20 wherein said opacifier is present in the range of from about 0.3% to 2.0% by weight.
 - 24. The neutralizing rinse as claimed in Claim 23, wherein said laureth 23 is present in the range of from about 0.4% to 2.0% by weight.